This map is for use in administering the National Flood Insurance Program. It does not necessarily identify all areas subject to flooding, particularly from local drainage sources of small size. The **community map repository** should be consulted for possible updated or additional flood hazard information.

consulted for possible updated or adoltional floor pages information.

To obtain more detailed information in areas where **Base Flood Elevations** (BFEs) and/or **floodways** have been determined, users are encouraged to onsult the Flood Profiles and Floodway Data and/or Summary of Stillwater Elevations tables contained within the Flood Insurance Study (FIS) report that accompanies this FIRM. Users should be aware that BFEs shown on the FIRM represent rounded whole-foot elevations. These BFEs are intended for flood insurance rating purposes only and should not be used as the sole source of flood elevation information. Accordingly, flood elevation data presented in the FIS report should be utilized in conjunction with the FIRM for purposes of construction and/or floodplain management.

floodplain management.

Coastal Base Flood Elevations shown on this map apply only landward of 0.0'
North American Vertical Datum of 1988 (NAVD 88). Users of this FIRNA should be aware that coastal flood elevations are also provided in the Summary of Sillwater Elevations table in the Flood Insurance Study report for this jurisdiction. Elevations shown in the Summary of Sillwater Elevations table should be used for construction and/or floodplain management purposes when they are higher than the elevations shown on this FIRM.

nie elevations shown on this FIRM.

Boundaries of the **floodways** were computed at cross sections and interpolated between cross sections. The floodways were based on hydraulic considerations with regard to requirements of the National Flood Insurance Program. Floodway withins and other pertinent floodway data are provided in the Flood Insurance Study report for this jurisdiction.

Certain areas not in Special Flood Hazard Areas may be protected by **flood control structures**. Refer to Section 2.4 "Flood Protection Measures" of the Flood Insurance Study report for information on flood control structures for this jurisdiction.

The projection used in the preparation of this map was Universal Transverse Mercator (UTM) zone 18. The horizontal datum was NAD 83, GRS89 spheroid. Differences in datum, spheroid, projection or UTM zones used in the production of FIRMs for adjacent jurisdictions may result in slight positional differences in map features across, priscidion boundaries. These differences do not affect the accuracy of this FIRM.

not affect the accuracy of his FirMs.

Flood elevations on this map are referenced to the North American Vertical Datum of 1998. These flood elevations must be compared to structure and ground elevations referenced to the same vertical datum, For information regarding conversion between the National Geodetic Vertical Datum of 1929 and the North American Vertical Datum of 1980, visit he National Geodetic Survey at the blowing actives:

NGS Information Services NOAA, NNGS 12 National Geodetic Survey SSMC-3, #9202 1315 East-West Highway Silver Spring, Maryland 20910-3282 (301) 713-3242

To obtain current elevation, description, and/or location information for bench marks shown on this map, please contact the Information Services Branch of the National Geodetic Survey at (301) 713-3242, or visit its website at http://www.ngs.noaa.gov/.

Base map information shown on this FIRM was derived from U.S. Geological Survey Digital Orthophoto Quadrangles at a scale of 1:12,000 from photography dated 1993 or later.


This map reflects more detailed and up-to-date stream channel configurations than those shown on the previous FIRM for this jurisdiction. The floodplains and floodways that were transferred from the previous FIRM may have been adjusted to conform to these new stream channel configurations. As a result, the Flood Profiles and Floodway Data tables in the Flood insurance Study report (which Profiles and Floodway Data tables in the Flood insurance Study report (which differ from what is shown on this map.

Corporate limits shown on this map are based on the best data available at the time of publication. Because changes due to annexations or de-annexations may have occurred after his map aves published, map users should contact appropriate community officials to verify current corporate limit locations.

Please refer to the separately printed **Map Index** for an overview map of the county showing the layout of map panels; community map repository addresses; and a Listing of Communities table containing National Flood Insurance Program dates for each community as well as a listing of the panels on which each community is located.

Contact the FEMA Map Service Center at 1-800-358-9616 for information on available products associated with this FIRM. Available products may include reviewusly sissed Letters of Map Change, a Flood Insurance Study report, and/or digital versions of this map. The FEMA Map Service Center may also be reached by Fax at 1-800-958-9520 and the vestel at https://doi.org/10.108/j.new.mac.fcma.gov/.

If you have **questions about this map** or questions concerning the National Floor Insurance Program in general, please call **1-877-FEMA MAP** (1-877-336-2627 or visit the FEMA website at http://www.fema.gov/business/nfip.



LEGEND

SPECIAL FLOOD HAZARD AREAS (SFHAS) SUBJECT TO INUNDATION BY THE 1% ANNUAL CHANCE FLOOD

No Base Flood Elevations determined.
Base Flood Elevations determined.
Flood depths of 1 to 3 feet (usually areas of ponding); Base Flood
Elevations determined.

ZONE AO Flood depths of 1 to 3 feet (usually sheet flow on sloping terrain); average depths determined. For areas of alluvial fan flooding, velocities also

Area to be protected from 1% annual chance flood by a Federal flood protection system under construction; no Base Flood Elevations determined.

Coastal flood zone with velocity hazard (wave action); no Base Flood Elevations determined. Coastal flood zone with velocity hazard (wave action); Base Flood Elevations determined.

FLOODWAY AREAS IN ZONE AE

The floodway is the channel of a stream plus any adjacent floodplain areas that must be kept free of encroachment so that the 1% annual chance flood can be carried without substantial increases in flood heights.

OTHER FLOOD AREAS

Areas of 0.2% annual chance flood; areas of 1% annual chance flood with average depths of less than 1 foot or with drainage areas less than 1 square mile; and areas protected by levees from 1% annual chance flood. ZONE X

OTHER AREAS

ZONE X Areas determined to be outside the 0.2% annual chance floodplain. Areas in which flood hazards are undetermined, but possible

COASTAL BARRIER RESOURCES SYSTEM (CBRS) AREAS

OTHERWISE PROTECTED AREAS (OPAS)

CBRS areas and OPAs are normally located within or adjacent to Special Flood Hazard Areas.

1% annual chance floodplain boundary 0.2% annual chance floodplain boundary 1% annual chance flood
0.2% annual chance flood
Floodway boundary
Zone D boundary
CBRS and OPA boundary

Boundary dividing Special Flood Hezard Areas of different Base Flood Eventions, flood depths or flood elevations, flood elevations, flood elevations and value; elevation in refer*

(EL 987) Base Flood Elevation walue where uniform within zone; elevation in feet*

Referenced to the North American Vertical Datum of 1988 A Cross section line

(2) ----(2) Transect line

87°07'45", 32°22'30" Geographic coordinates referenced to the North American Datum of 1983 (NAD 83)

1000-meter Universal Transverse Mercator grid values, zone 18 5000-foot grid ticks: Pennsylvania State Plane coordinate system, north zone (FIPSZONE 3701), Lambert Conformal Conic 600000 FT

.

Bench mark (see explanation in Notes to Users section of this FIRM panel) DX5510 x

• M1.5

MAP REPOSITORY Refer to listing of Map Repositories on Map Index EFFECTIVE DATE OF COUNTYWIDE FLOOD INSURANCE RATE MAP

MAY 4, 2009 EFFECTIVE DATE(S) OF REVISION(S) TO THIS PANEL

For community map revision history prior to countywide mapping, refer to the Community Map History table located in the Flood Insurance Study report for this jurisdiction.

To determine if flood insurance is available in this community, contact your insurance agent or call the National Flood Insurance Program at 1-800-638-6620.



MAP SCALE 1" = 500'

250 0 500 1000 FEET 150 0 150 300

PANEL 0366F **FIRM** FLOOD INSURANCE RATE MAP CENTRE COUNTY, PENNSYLVANIA AND INCORPORATED AREAS PANEL 366 OF 885 (SEE MAP INDEX FOR FIRM PANEL LAYOUT) CONTAINS: Ħ Notice to User: The Map Number shown below should be used when placing map orders; the Community Number shown above should be used on insurance applications for the subject community. NATHONAL 42027C0366F EFFECTIVE DATE MAY 4, 2009

Federal Emergency Management Agency

This map is for use in administering the National Flood Insurance Program. It does not necessarily identify all areas subject to flooding, particularly from local drainage sources of small size. The **community map repository** should be consulted for possible updated or additional flood hazard information.

Consuled for possible updated or adminish mode nearest information.

To obtain more detailed information in areas where Base Flood Elevations (BFEs) and/or floodways have been determined, users are encouraged to consult her Flood Prefiles and Floodway Date and/or Summary of Sillwater Elevations tables contained within the Flood Insurance Study (FIS) report that accompanies the FIRM. Users should be aware that BFEs shown on the FIRM represent railing purposes only and should not be used as the sole source of flood elevation information. Accordingly, flood elevation data presented in the FIS report should be utilized in conjunction with the FIRM for purposes of construction and/or floodplain management.

(floodplain management.

Cosatal Base Flood Elevations shown on this map apply only landward of 0.0° North American Vertical Datum of 1988 (NAVD 88), Users of this FIRM should be ware that cosatal flood elevations are also provided in the Summary of Stillwater Elevations table in the Flood insurance Study report for this jurisdiction. Elevations shown in the Summary of Sillwater Elevations table should be used for the summary of Sillwater Elevations table should be used for the summary of Sillwater Elevations table should be used for the summary of Sillwater Elevations table should be used for the summary of Sillwater Elevations table should be used for the summary of Sillwater Elevations the Sillwater Elevations and the summary of Sillwater Elevations of the summary of Sillwater Elevations of the Sillw

Boundaries of the **floodways** were computed at cross sections and interpolated between cross sections. The floodways were based on hydraulic considerations with regard to requirements of the National Flood insurance Program, Floodway widths and other pertinent floodway data are provided in the Flood Insurance Study report for this jurisdiction.

Certain areas not in Special Flood Hazard Areas may be protected by flood control structures. Refer to Section 2.4 "Flood Protection Measures" of the Flood Insurance Study report for information on flood control structures for this jurisdiction.

The projection used in the preparation of this map was Universal Transverse Mercator (UTM) zone 18. The horizontal datum was NAD 83, GRS80 spheroid. Differences in datum, spheroid, projection or UTM zones used in the production of FRMs for adjacent jurisdictions may result in slight positional differences in map features across jurisdiction boundaries. These differences do not affect the accuracy of this FRM.

now amest me accuracy of this FiRM. Flood elevations on this map are referenced to the North American Vertical Datum of 1988. These flood elevations must be compared to structure and ground elevations referenced to the same vertical datum. For information regarding conversion between the National Geodetic Vertical Datum of 1929 and the North American Vertical Datum of 1989, visit the National Geodetic Survey website at 1th_Whytww.ngs.noaa.gov/ or contact the National Geodetic Survey at the following address:

NGS Information Services NOAA, N/NGS 12 National Geodetic Survey SSMC-3, #9202 1315 East-West Highway Silver Spring, Maryland 20910-3282 (301) 713-3242

To obtain current elevation, description, and/or location information for bench marks shown on this map, please contact the Information Services Branch of the National Geodelic Survey at (301) 713-3242, or visit its website at https://www.ngs.nosa.gov/.


This map reflects more detailed and up-to-date **stream channel configurations** than those shown on the previous FIRM for this jurisdiction. The floodplains and floodways that were transferred from the previous FIRM may have been adjusted to conform to these new stream channel configurations. As a result, the Flood Profiles and Floodway Data bables in the Flood Insurance Study report (which contains authoritative hydraulic data) may reflect stream channel distances that differ from what is shown on this map.

Corporate limits shown on this map are based on the best data available at the time of publication. Because changes due to annexations or de-annexations may have occurred after this map was published, map users should contact appropriate community officials to verify current corporate limit locations.

Please refer to the separately printed **Map Index** for an overview map of the county showing the layout of map panels; community map repository addresses; and a Listing of Communities table containing National Flood insurance Program dates for each community as well as a listing of the panels on which each community is costed.

Contact the FEMA Map Service Center at 1-800-358-9616 for information on available products associated with this FIRM. Available products may include previously issued Letters of Map Change, a Flood Insurance Study report, and/or digital versions of this map. The FEMA Map Service Center may also be reached by Fax at 14:00-358-9820 and Issued website at <a href="https://doi.org/10.1007/j.chm/pic/10.1007/j.

If you have **questions about this map** or questions concerning the National Floor Insurance Program in general, please call **1-877-FEMA MAP** (1-877-336-2627 or visit the FEMA website at http://www.fema.gov/business/nfip.



LEGEND

SPECIAL FLOOD HAZARD AREAS (SFHAS) SUBJECT TO

No Base Flood Elevations determined.

Base Flood Elevations determined.
Flood depths of 1 to 3 feet (usually areas of ponding); Base Flood Elevations determined.

ZONE AO Flood depths of 1 to 3 feet (usually sheet flow on sloping terrain); average depths determined. For areas of alluvial fan flooding, velocities also

agreemined.

Special Flood Hazard Area formerly protected from the 1% annual chance flood by a flood control system that was subsequently decertified. Zone AR indicates that the former flood control system is being restored to provide protection from the 1% annual chance or greater flood.

Area to be protected from 1% annual chance flood by a Federal floor protection system under construction; no Base Flood Elevations determined. ZONE V

Coastal flood zone with velocity hazard (wave action); no Base Floor Elevations determined. ZONE VE

FLOODWAY AREAS IN ZONE AE

The floodway is the channel of a stream plus any adjacent floodplain areas that must be kept free of encreatment so that the 1% annual chance flood can be carried without substantial increase-in flood begins.

OTHER FLOOD AREAS Areas of 0.2% annual chance flood; areas of 1% annual chance flood with average depths of less than 1 foot or with drainage areas less than 1 square mile; and areas protected by levees from 1% annual chance flood.

OTHER AREAS

COASTAL BARRIER RESOURCES SYSTEM (CBRS) AREAS OTHERWISE PROTECTED AREAS (OPAS)

CBRS areas and OPAs are normally located within or adjacent to Special Floor

1% annual chance floodplain boundary 0.2% annual chance floodplain boundary

19% annual chance floodp
0.2% annual chance flood
0.2% annual chance flood
Floodway boundary
2one D boundary
CBRS and OPA boundary

Boundary widning Special Flood Hazard Areas of different Base Flood Elevations, Inoo deptive inflood elevations, Inoo deptive inflood elevations in infect Base Flood Elevation like and value; elevation in feet*

(EL 987) Base Flood Elevation value where uniform within zone; elevation in feet*

Referenced to the North American Vertical Datum of 1988

 Cross section line (23) - - - - - - (23) Transect line

87°07'45", 32°22'30" Geographic coordinates referenced to the North American of 1983 (NAD 83)

1000-meter Universal Transverse Mercator grid values, zone 18

5000-foot grid ticks: Pennsylvania State Plane coordinate system, north zone (FIPSZONE 3701), Lambert Conformal Conic projection 600000 FT Bench mark (see explanation in Notes to Users section of this

DX5510×

MAP REPOSITORY Refer to listing of Map Repositories on Map Index EFFECTIVE DATE OF COUNTYWIDE FLOOD INSURANCE RATE MAP

MAY 4, 2009

EFFECTIVE DATE(S) OF REVISION(S) TO THIS PANE

For community map revision history prior to countywide mapping, refer to the Community M History table located in the Flood Insurance Study report for this jurisdiction. To determine if flood insurance is available in this community, contact your insurance agent or ca the National Flood Insurance Program at 1-800-638-6620.



(ALL JURISDISCTIONS)

PANEL 0367F

FIRM FLOOD INSURANCE RATE MAP CENTRE COUNTY, PENNSYLVANIA

PANEL 367 OF 885

CONTAINS
 COMMUNITY
 NUMBER
 PANEL
 SUFFIX

 BELLEFONTE, BOROUGH OF
 420257
 0367
 F

 BOGGS, TOWNSHIP OF
 42193
 0367
 F

 SPRING, TOWNSHIP OF
 420269
 0367
 F



MAP NUMBER 42027C0367F EFFECTIVE DATE MAY 4, 2009

Federal Emergency Management Agency

This map is for use in administering the National Flood Insurance Program. It does not necessarily identify all areas subject to flooding, particularly from local drainage southces of small size. The community map repository should be consulted for possible updated or additional flood hazard information.

consulte our possible updated or administrations along nazion importanti.

To obtain more detailed information ille reses where Base Flood Elevations (BFEs) and/or floodways have been determined, users are encouraged to consult the Flood Profiles and Ploodway Data and/or Summary of Stillwaier Elevations tables contained within the Flood Insurance Study (FIS) report that accompanies this FIRM. Users should be aware that BFEs shown on the FIRM represent rounded whole-foot elevations. These BFEs are intended for flood insurance rating purposes only and should not be used as the sole source of flood elevation information. Accordingly, flood elevation data presented in the FIS report should be utilized in conjunction with the FIRM for purposes of construction and/or floodplain management.

floodplain management.

Costate Base, Flood Elevations shown on this map apply only fendward of 0.0'

North American Vertical Datum of 1988 (NAVD 88), Users of this FIRM should be ware that costed flood elevations are also provided in the Summary of Stillwater Elevations table in the Flood insurance Study report for this jurisdiction. Elevations shown in the Summary of Stillwater Elevations table should be used for construction and/or floodplain management purposes when they are higher than the elevations shown on this Flood.

Boundaries of the **floodways** were computed at cross sections and interpolated between cross sections. The floodways were based on hydraulic considerations with regard to requirements of the National Flood insurance Program. Floodway widths and other pertinent floodway data are provided in the Flood Insurance Study report for this jurisdiction.

Certain areas not in Special Flood Hazard Areas may be protected by flood control structures. Refer to Section 2.4 "Flood Protection Measures" of the Flood Insurance Study report for information on flood control structures for this jurisdiction.

The projection used in the preparation of this map was Universal Transverse Mercator (UTM) zone 18. The horizontal datum was NAD 83, GRS80 spheroid. Differences in datum, spheroid, projection or UTM zones used in the production of FIRMs for adjacent jurisdictions may result in slight positional differences in map features across jurisdiction boundaries. These differences do not affect the accuracy of this FIRM.

Flood elevations on this map are referenced to the North American Vertical Datum of 1998. These flood elevations must be compared to structure and ground elevations referenced to the same vortical datum. For information regarding conversion between the National Geodetic Vertical Datum of 1929 and the Compared of the Compared Compared Compared to the Compared Compared whether the Compared Compared Compared Compared Compared Compared particular to the Compared Co

NGS Information Services NGAA, N/NGS 12 National Geodetic Survey SSMC-3, #9202 1315 East-West Highway 3(301) 713-3242 (301) 713-3242

To obtain current elevation, description, and/or location information for bench marks shown on this map, please contact the Information Services Branch of the National Secolatic Survey at (301) 713-3242, or visit its website at https://www.ngs.nosa.goz/.

This map reflects more detailed and up-to-date stream channel configurations than those shown on the previous FIRM for this jurisdiction. The floodplains and floodways that were transferred from the previous FIRM may have been adjusted to conform to these new stream channel configurations, As a result, the Flood Profiles and Floodway Date lables in the Flood insurance Study report (which contains authoritative hydrautic data) may reflect stream channel distances that offer from what is stream on this map.


Corporate limits shown on this map are based on the best data available at the time of publication. Because changes due to amexations or de-annexations may have occurred after this may aves published, may users should contact appropriate community officials to verify current corporate limit locations.

Please refer to the separately printed **Mep Index** for an overview map of the county showing the layout of map panels; community map repository addresses; and a Listing of Communities table containing National Flood insurance Program dates for each community is able containing National Flood insurance Program dates for each community as well as a listing of the panels on which each community is located.

Contact the FEMA Map Service Center at 1-800-558-9616 for information on available products associated with this FIRM. Available products may include previously source Letters of Map Change, a Flood Inservance Study report, and/or digital versions of this map. The FEMA Map Service Center may also be reached by Fax at 14-90-356-9620 and the website at <a href="http://www.mc.fema.gov/mc.gov/mc.fema.gov/mc.fema.go

If you have questions about this map or questions concerning the National Floor Insurance Program in general, please call 1-877-FEMA MAP (1-877-336-2627 or visit the FEMA website at http://www.fema.gov/business/nfip.

Provisionally Accredited Levee Notes to Users: Check with your local community to obtain more information, such as the estimated level of protection provided (which may exceed the 1-percent-ammusi-frome level) and Emergency Action Plan, on the level system(s) shown as providing protection for areas on the panel. To maintain accreditation, the level event or community is repaired to submit the detal and by May 7, 2010. If the community or owner does not provide the necessary data and by May 7, 2010. If the community or owner does not provide the necessary data and documentation for it the data and documentation provided indicate the twee system does not comply with Section 65, 10 requirements, FEMA will revise the flood hazard and risk information for this great to reflect de-screditation of the level system. To milisple flood risk in residual fish areas, property owners and residents are encouraged to consider flood insurance and floodropting or other protective measures. For more consideration insurance and floodropting or other protective measures. For more thing/levew.forma.gov/business/nfg/index.shtm.



LEGEND

SPECIAL FLOOD HAZARD AREAS (SFHA5) SUBJECT TO INUNDATION BY THE 1% ANNUAL CHANCE FLOOD

No Base Flood Elevations determined

Base Flood Elevations determined.

Flood depths of 1 to 3 feet (usually areas of ponding); Base Flood Playations determined

ZONE AO Flood depths of 1 to 3 feet (usually sheet flow on sloping terrain); average depths determined. For areas of allowiat fan flooding, verocities also

operarmines.

Special Flood Hazard Area formerly protected from the 1% ennual chance flood by a flood control system that was subsequently describled. Zone AR indicates that the former flood control system is being restored to provide protection from the 1% ennual chance or greater flood.

Area to be protected from 1% annual chance flood by a Federal flood protection system under construction; no Base Flood Elevations

Coastal flood zone with velocity hazard (wave action); no Base Floor Elevations determined.

Coastal flood zone with velocity hazard (wave action); Base Flood Elevations distermined.

FLOODWAY AREAS IN ZONE AE

The floodway is the channel of a stream plus any adjacent floodplain areas that must be kept free of encruschment so that the 1% annual chance flood can be carried without substantial increases in flood height.

OTHER FLOOD AREAS

Areas of 0.2% annual chance flood; areas of 1% annual chance flood wit average depths of less than 1 floot or with drainage areas less than square mile; and areas protected by leves from 1% annual chance flood. ZONE X

OTHER AREAS

Areas determined to be cutside the 0.2% annual chance floodplain. ZONE X Areas in which flood hazards are undetermined, but possible

COASTAL BARRIER RESOURCES SYSTEM (CBRS) AREAS

OTHERWISE PROTECTED AREAS (OPAS)

CBRS areas and OPAs are normally located within or adjacent to Special Plood Hazard Areas.

0.2% simual chance Read
Floodway boundary
Zane D boundary
CBRS and OPA boundary

Employeement Areas of different Base Employeement English or Record Velocities.

Flood Elevations, Roca depths or Roca velocities.

Base Flood Elevation line and value; elevation in feet*

Base Flood Elevation value where uniform within zone; elevation feet*

(EL 987) Referenced to the North American Vertical Datum of 1988

-----(A) Cross section line (23) -----(25) Transact line

87"07"45", 32"22"30" Geographic conrdinat of 1903 (NAO 63) 1000-meter Universal Transverse Mercator grid values, zone 18

5000-fnot grid ticks: Pennsylvania State Plane coordinate system, north zune (FIPSZONE 3701), Lambert Conformal Conic projection 600000 FT

.

Bench mark (see explanation in Notes to Users section of this FIRM panel) DX6510×

 ■ M1.5 River Mile


> MAP REPOSITORY Refer to listing of Map Repositories on Map Index EFFECTIVE DATE OF COUNTYWIDE FLOOD INSURANCE RATE MAP

MAY 4, 2009 EFFECTIVE DATE(S) OF REVISION(S) TO THIS PANEL

For community map revision history prior to countywide mapping, refer to the Community Map History table located in the Flood Insurance Study report for this juriediction. To determine if flood insurance is available in this community, contact your insurar the National Flood Insurance Program at 1-800-638-6620.



MAP SCALE 1" = 500"



This map is for use in administering the National Flood Insurance Program. It does not necessarily identify all areas subject to flooding, particularly from local drainage southces of small size. The community map repository should be consulted for possible updated or additional flood hazard information.

consulte our possible updated or administrations along nazion importanti.

To obtain more detailed information ille reses where Base Flood Elevations (BFEs) and/or floodways have been determined, users are encouraged to consult the Flood Profiles and Ploodway Data and/or Summary of Stillwaier Elevations tables contained within the Flood Insurance Study (FIS) report that accompanies this FIRM. Users should be aware that BFEs shown on the FIRM represent rounded whole-foot elevations. These BFEs are intended for flood insurance rating purposes only and should not be used as the sole source of flood elevation information. Accordingly, flood elevation data presented in the FIS report should be utilized in conjunction with the FIRM for purposes of construction and/or floodplain management.

Roodplain management.

Coastal Base Flood Elevations shown on this map opply only lendward of 0.0'
North American Vertical Datum of 1998 (NAVO 88), Users of this FIRM should be aware that coasts flood elevations are also provided in the Summary of Stillweiter Elevations table in the Flood Insurance Study report for this jurisdiction. Elevations shown in the Summary of Stillweiter Elevations table should be used for construction and/or floodplart management purposes when they are higher than the elevations shown on the Flood.

one serventors shown on anse previous.

Boundaries of the **floodways** were computed at cross sections and interpolated between cross sections. The floodways were based on hydraulic considerations with regard to requirements of the National Flood Insurance Program. Floodway widths and other pertinent floodway data are provided in the Flood Insurance Study proport for this jurisdiction.

Certain areas not in Special Flood Hazard Areas may be protected by flood control structures. Refer to Section 2.4 "Flood Protection Measures" of the Flood Insurance Study report for information on flood control structures for this jurisdiction.

The projection used in the preparation of this map was Universal Transverse Mercator (UTM) zone 18. The horizontal datum was NAD 83, GRS80 spheroid. Differences in datum, spheroid, projection or UTM zones used in the production of FIRMs for adjacent jurisdictions may result in slight positional differences in map features across jurisdiction boundaries. These differences do not affect the accuracy of this FIRM.

TOM, street, use accuracy of this FINAN.
Flood elevations on this map are referenced to the North American Vertical Datum of 1968. These flood elevations must be compared to structure and ground elevations referenced to the same vertical datum. For information regentling, conversion between the National Geodetic Vertical Datum of 1923 and the North American Vertical Datum of 1930, visit in National Geodetic Survey of the Information of the of the Information

NGS Information Services NGAA, NNGS 12 National Geodetic Survey SSMC-3, #9202 1316 East-West Highway Silver Spring, Maryland 20910-3282 (301) 713-3242

To obtain current elevation, description, and/or location information for bench marks shown on this map, please contact the Information Services Branch of the National Secoledic Survey at (301) 713-3242, or visit its website at https://www.ngs.nosa.goz/.


This map reflects more detailed and up-to-date stream channel configurations than those shown on the previous FIRM for this jurisdiction. The floodplains and floodways that were transferred from the previous FIRM may have been adjusted to conform to these new stream channel configurations, As a result, the Flood Profiles and Floodway Date lables in the Flood insurance Study report (which contains authoritative hydrautic data) may reflect stream channel distances that offer from what is stream on this map.

Corporate limits shown on this map are based on the best data available at the time of publication. Because changes due to amexations or de-annexations may have occurred after this may aves published, may users should contact appropriate community officials to verify current corporate limit locations.

Please refer to the separately printed **Mep tridex** for an overview map of the county showing the layout of map panels; community map repository addresses; and a Listing of Communities table containing National Flood Insurance Program dates for each community as well as a listing of the panels on which each community is located.

Contact the FEMA Map Service Center at 1-800-558-9616 for information on available products associated with this FIRM. Available products may include previously source Letters of Map Change, a Flood Insurance Study report, and/or digital versions of this map. The FEMA Map Service Center may also be reached by Fax at 14-903-958-9502 and the website at <a href="https://doi.org/10.1007/j.nep/10

If you have questions about this map or questions concerning the National Flood Insurance Program in general, please call 1-877-FEMA MAP (1-877-338-2627) or visit the FEMA website at http://www.fema.gov/business/nfip.



LEGEND

SPECIAL FLOOD HAZARD AREAS (SFHA5) SUBJECT TO INUNDATION BY THE 1% ANNUAL CHANCE FLOOD

No Base Flood Elevations determined

Base Flood Elevations determined.

Flood depths of 1 to 3 feet (usually areas of ponding); Base Flood Playations determined

ZONE AO Flood depths of 3 to 3 feet (usually sheet flow on sloping terrain); average depths determined. For areas of allowist fan flooding, velocities also

occarnings.

Special Flood Nazard Area formerly protected from the 1% ennual chance flood by a flood control system that was subsequently describled. Zone AR indicates that the former flood control system is being restored to provide protection from the 1% ennual chance or greater flood.

Area to be protected from 1% annual chance flood by a Federal flood protection system under construction; no Base Flood Elevations

Coastal flood zone with velocity hazard (wave action); no Base Floor Elevations determined.

Coastal flood zone with velocity hazard (wave action); Base Flood Elevations distermined.

FLOODWAY AREAS IN ZONE AE

The floodway is the channel of a stream plus any adjacent floodplain areas that must be kept free of encruschment so that the 1% annual chance flood can be carried without substantial increases in flood height.

OTHER FLOOD AREAS

Areas of 0.2% annual chance flood; areas of 1% annual chance flood with average depths of less than 1 foot or with drainage areas less than 1 square mile; and areas protected by levees from 1% annual chance flood. ZONE X

OTHER AREAS

Areas determined to be outside the 0.2% annual chance floodplain. ZONE X Areas in which flood hazards are undetermined, but possible

COASTAL BARRIER RESOURCES SYSTEM ((COASTAL BARRIER RESOURCES SYSTEM (CBRS) AREAS

CBRS areas and OPAs are normally located within or adjacent to Special Flood Hazard Areas.

0.2% simual chance Read
Floodway boundary
Zane D boundary
CBRS and OPA boundary

Employeement Areas of different Base Employeement English or Record Velocities.

Flood Elevations, Stood depths or Rock velocities.

Base Flood Elevation line and value; elevation in fact*

Base Flood Elevation value where uniform within zone; elevation
in fact* (EL 987)

Referenced to the North American Vertical Datum of 1988 -----(A) Cross section line

(23) -----(25) Transact line

87"07"45", 32"22"30" Geographic conrdinat of 1903 (NAO 63)

1000-meter Universal Transverse Mercator grid values, zone 18

5000-fnot grid ticks: Pennsylvania State Plane coordinate system, north zone (FIPSZONE 3701), Lambert Conformal Conic projection 600000 FT .

Bench mark (see explanation in Notes to Users section of this FIRM panel) DX6510×

■ M1.5

MAP REPOSITORY Refer to listing of Map Repositories on Map Index EFFECTIVE DATE OF COUNTYWIDE FLOOD INSURANCE RATE MAP MAY 4 2009

EFFECTIVE DATE(S) OF REVISION(S) TO THIS PANEL

For community map revision history prior to countywide mapping, refer to the Community Map History table located in the Flood Insurance Study report for this juriediction. To determine if flood insurance is available in this community, contact your insuran the National Flood Insurance Program at 1-800-638-6620.



MAP SCALE 1" = 500"

NFIP PANEL 0369F **FIRM** FLOOD INSURANCE RATE MAP CENTRE COUNTY. PENNSYLVANIA (ALL JURISDICTIONS) INSURVANGE PANEL 369 OF 885 (SEE MAP INDEX FOR FIRM PANEL LAYOUT) COMMUNITY MINDER PANEL SSFFIX BELLEFONTE: BDROUGH OF 420287 0360 F SEPRIG: TOWNSHP OF 421460 0390 F SPRIG: TOWNSHP OF 420260 0360 F COMMUNITY Notice to User: The Map Number shows below should be used when placing has orders: the Community Number shows above should be used on insurance applications for the subject community. N/AHHOIN/AIL MAP NUMBER 42027C0369F EFFECTIVE DATE MAY 4, 2009

Federal Emergency Management Agency

This map is for use in administrating the National Flood Insurance Program. It does not necessarily identify all areas subject to flooding, particularly from toolar drainage sources of small size. The community map repository should be consulted for possible updated or additional flood hazard information.

consulted for possible updated or adminish thool hazard information.

To obtain more detailed information in praces where Base Flood Elevations (IFEs) and for flootways have been determined, users are encouraged to consult her Flood Profiles and Floodwarp Oate and/or Summary of Stillware Elevations tables contained within the Flood Insurance Study (FIS) report that accompanies his FIRM. Users should be aware that BFEs allows on the FIRM expresent rounded whole-foot elevations. These BFEs are intended for flood insurance rating purposes only and should not be used as the sole source of Sold elevation information. Accordingly, flood elevation data presented in the FIS report should be utilized in conjunction with the FIRM for purposes of construction and/or flood-plain management.

floodplain management.

Coastal Sase Flood Elevations shown on this map apply only landward of 0.0"
North Amarican Vertical Datum of 1988 (NAVD 88). Users of this FIRM should be aware that coastal flood elevations are skep provided in the Summary of Sillwater Elevations table on the Flood Insurance Study report for this jurisdiction. Elevations show in the Summary of Sillwater Elevations table should be used construction and/or floodplain mensignent of proposate when they are higher than construction and/or floodplain management the elevations shown on this FIRM.

are everations shown on this FIRM.

Boundaries of the floodways were computed at cross sections and interpolated between cross sections. The floodways were based on hydraulic considerations with regard to requirements of the National Flood Insurance Program. Floodway widths and other perferent floodway data are provided in the Flood Insurance Study report for this jurisdiction.

Certain areas not in Special Flood Hazard Areas may be protected by **flood** control structures. Refer to Section 2.4 "Flood Protection Measures" of the Flood Insurance Study report for information on flood control structures for this jurisdiction.

not affect the accuracy of this FinAv.
Flood elevations on this map are referenced to the North American Vertical
Deltum of 1998. These Bood elevations must be compared to structure and
ground elevations referenced to the same vertical datum, For Information
regarding conversion between the National Geodetic Vertical Datum of 1929
and the North American Vertical Datum of 1985, votation National Geodetic Survey
at the Steward and Control of 1985, votation and the National Geodetic Survey
at the Steward actives.

NGS information Services NGAA, NNNS5 12 National Geotetic Survey SSMC-3, #9202 1315 East-West Highway Silver Spring, Maryland 20910-3282 (301) 713-3242

To obtain current elevation, description, and/or location information for bench marks shown on this map, please contact the information Services Branch of the National Geodetic Survey at (301) 713-3242, or visit its website at https://bxww.ngs.stosa.goz/.


This map reflects more detailed and up-to-date stream channel configurations than those shown on the previous FIRM for this jurisdiction. The floodplains and floodways that were transferred from the previous FIRM may have been adjusted to conform to these new stream channel configurations. As a result, the Flood Profiles and Floodway Data lables in the Flood Insurance Study report (which Profiles and Floodway Data lables in the Flood Insurance Study report disher from what is obtained that the map.

Corporate limits shown on this map are based on the best data available at the time of publication. Because changes due to annexations or de-annexations may have occurred after this may aves published, may users should contact appropriate community officials to verify current corporate limit locations.

Please refer to the separately printed **Map index** for an overview map of the county showing the layout of map panels; community map repository addresses; and a Listing of Communities table containing National Flood insvaree Program dates for each community as well as a listing of the panels on which each community is located.

Contact the FEMA Map Service Center at 1-800-358-9618 for information on available products associated with this FIRM. Available products may include previously issued Letters of Map Change, a Flood Insurance Study report, and/or digital versions of this map. The FEMA Map Service Center may also be reached by Fax at 1-80-358-9520 and the vestions of this map. The FEMA Map Service Center may also be reached by Fax at 1-80-358-9520 and seventies of this prove, mac firms, quite.

If you have questions about this map or questions concerning the National Floor insurance Program in general, please call 1-877-FEMA MAP (1-877-336-2627 or visit the FEMA website at http://www.fema.gov/business/nfip.



LEGEND

SPECIAL FLOOD HAZARD AREAS (SFHAS) SUBJECT TO INUNDATION BY THE 1% ANNUAL CHANCE FLOOD

No Base Flood Elevations determined.

Base Flood Elevations determined.

Flood depths of 1 to 3 feet (usually areas of ponding); Base Flood Elevations determined. ZONE AO

Flood depths of 1 to 3 feet (usually sheet flow on sloping terrain); average depths determined. For ereas of alternal fan flooding, velocities also

Area to be protected from 1% annual chance flood by a Federal flood protection system under construction; no Base Finod Elevations determined.

Coastal Bood zone with velocity hazard (wave action); Sase Flood Stevations determined.

FLOODWAY AREAS IN ZONE AE

The Roodway is the channel of a stream plus any adjacent floodplain areas that must be kept free of encreachment so that the 1% annual chance flood can be carried without substantial increases in flood height.

***** OTHER FLOOD AREAS

Areas of 0.2% annual chance flood; areas of 1% annual chance flood with average depths of less than 1 foot or with drainage areas less than 1 square mile; and areas protected by levees from 1% annual chance flood. ZONE X

Areas determined to be outside the 0.2% annual chance floodplain,

COASTAL BARRIER RESOURCES SYSTEM (CBRS) AREAS

OTHERWISE PROTECTED AREAS (OPAS)

CBRS areas and OPAs are normally located within or adjacent to Special Flood Hazard Areas.

1% annual chance floods
0.2% attnual chance floods
Floodway boundary
Zone D boundary
CSRS and OPA boundary

Boundary dividing Special Flood Hazard Areas of different Base Proof Elevations, Rood cepths or flood vehicibes.

Plocal Elevations, flood depths or flood velocities.

State Plood Elevation line and value, developin in feet*

Sand Flood Elevation value where uniform within zone; elevation in feet*

Referenced to the North American Vertical Datum of 1988

(2) -----(2) Transect Sine

87°07'45", 32°22'30" Geographic coordinates referenced to the North American Datum of 1583 (NAD 83)

5000-foot grid ticks: Pennsylvania State Plane coordinate system, north zone (FIPSZONE 3701), tambert Conformal Conic projection 600000 FT

Sench mark (see explanation in Notes to Users section of this ETRM panel) DX5510×


• M1.5


MAP REPOSITORY Refer to issting of Map Repositories on Map Index EFFECTIVE DATE OF COUNTYWIDE FLOOD INSURANCE RATE MAP

MAY 4, 2009 EFFECTIVE DATE(S) OF REVISION(S) TO THIS PANEL

To determine if flood insurance is available in this community, contact your insurance agent or call the listional Flood insurance Program at 1-800-638-8620.









NOTE TO USER
Future revisions in this FIRM Index will only
be issued to communities that are located
on FIRM panels being revised. This FIRM
toget sheeters maintain valid for FRMI panels
to the "MOST RECENT FIRM PANEL
DATE" collumn in the Issing of Communities
table to determine the most recent FIRM
today date for seath communities.

MAP DATES









NOTE TO USER

Future revisions to this FIRM Index will only be issued to communities that are located on FIRM panels being revised. This FIRM panels will for FIRM panels.

MAP DATES







MAP REPOSI	TORIES		
(Maps available for reference of	only, not for distribution.)		
ELLEFONTE, BOROUGH OF: 36 West Lamb Street ellefonte, Pennsylvania 16823	MILESBURG, BOROUGH OF: 416 Front Street Milesburg, Pennsylvania 16853		
ENNER, TOWNSHIP OF: 224 Buffalo Run Road ellefonte, Pennsylvania 16823	MILLHEIM, BOROUGH OF: 225 East Main Street Millheim, Pennsylvania 16854		
270 Runville Road	PATTON, TOWNSHIP OF: 100 Patton Plaza State College, Pennsylvania 16803		
URNSIDE, TOWNSHIP OF: 15 Pine Glen Road arthaus, Pennsylvania 16845	PENN, TOWNSHIP OF: 118 Tea Hollow Lane Coburn, Pennsylvania 16832		
34 North Hoffer Avenue	PHILIPSBURG, BOROUGH OF: 4 North Centre Street Philipsburg, Pennsylvania 16866		
181 East College Avenue	PORT MATILDA, BOROUGH OF: 400 South High Street Port Matilda, Pennsylvania 16870		
	POTTER, TOWNSHIP OF: 124 Short Road Spring Mills, Pennsylvania 16875		
147 Research Drive	RUSH, TOWNSHIP OF: 150 North Richard Street North Philipsburg, Pennsylvania 16866		
REGG, TOWNSHIP OF: 16 School Street pring Mills, Pennsylvania 16875	SNOW SHOE, BOROUGH OF: 106 Railroad St Snow Shoe, Pennsylvania 16874		
AINES, TOWNSHIP OF: 53 South Rachels Way aronsburg, Pennsylvania 16820	SNOW SHOE, TOWNSHIP OF: 268 Oldside Road Clarence, Pennsylvania 16829		
00 Municipal Lane	SPRING, TOWNSHIP OF: 1309 Blanchard Street Bellefonte, Pennsylvania 16823		
ARRIS, TOWNSHIP OF: 24 East Main Street palsburg, Pennsylvania 16827	STATE COLLEGE, 80ROUGH OF: 243 South Allen Street State College, Pennsylvania 16801		
OWARD, BOROUGH OF; 46 Black Street oward, Pennsylvania 16841	TAYLOR, TOWNSHIP OF: 11090 South Eagle Valley Road Port Matilda, Pennsylvania 16870		
OWARD, TOWNSHIP OF: 51 Township Building Road oward, Pennsylvania 16841	UNION, TOWNSHIP OF: 125 Sycamore Lane Julian, Pennsylvania 16844		
USTON, TOWNSHIP OF: 190 Allegheny Street Jilan, Pennsylvania 16844	UNIONVILLE, BOROUGH OF: 221 Allegheny Street P.O. Box 81 Fleming, Pennsylvania 16835		
BERTY, TOWNSHIP OF: 24 Hunter Run Road oward, Pennsylvania 16841	WALKER, TOWNSHIP OF: 816 Nittany Valley Drive Bellefonte, Pennsylvania 16823		
ARION, TOWNSHIP OF: 337 Jacksonville Road oward, Pennsylvania 16841	WORTH, TOWNSHIP OF: 123 Reese Hollow Road Port Matilda, Pennsylvania 16870		
ILES, TOWNSHIP OF: 12 Broad Street ebersburg, Pennsylvania 16872	TO STATE OF THE PROPERTY OF TH		

COMMUNITY NAME	COMMUNITY NUMBER	LOCATED ON PANEL(S)	INITIAL NEIP MAP DATE	INITIAL FIRM DATE	MOST RECENT FIRM PANEL DAT
BELLEFONTE, BOROUGH OF	420257	0366, 0367, 0368, 0369, 0390	JUNE 7, 1974	FEBRUARY 2, 1977	MAY 4, 2009
BENNER, TOWNSHIP OF	421460	0345, 0365, 0366, 0368, 0369, 0610, 0628, 0629, 0630, 0632, 0635, 0651, 0655*	NOVEMBER 1, 1974	JUNE 5, 1989	MAY 4, 2009
BOGGS, TOWNSHIP OF	421193	0145, 0160, 0165, 0170, 0190, 0335, 0365, 0368, 0360, 0365, 0366, 0367, 0380	AUGUST 13, 1974	AUGUST 15, 1989	MAY 4, 2009
BURNISDE, TOWNSHIP OF	421461	0920, 0949, 0945, 0955, 9669, 9066, 6070°, 9699, 9185, 9110°, 9115, 9120, 9130, 9135, 9140, 9155	NOVEMBER 8, 1974	JANUARY 17, 1986	MAY 4, 2009
CENTRE HALL, BOROUGH OF:	420258	0655*, 0660	N/A	N/A	N/A
COLLEGE, TOWNSHIP OF	420259	0610, 0617, 0628, 0629, 0632, 0635, 0636, 0637, 0638, 0639, 0641, 0842, 0643	JULY 26, 1974	JULY 4, 1989	MAY 4, 2009
CURTIN, TOWNSHIP OF	421462	0090, 0095, 0165, 0160, 0170, 0180, 0185, 0190, 0195	DECEMBER 20, 1974	JUNE 5, 1989	MAY 4, 2009
FERGUSON, TOWNSHIP OF	420260	0595, 0619, 0615, 0616, 0617, 0618, 0619, 0636, 0638, 0639, 0805, 0810, 0830, 0835, 0855	JULY 26. 1974	JULY 17, 1989	MAY 4, 2009
GREGG, TOWNSHIP OF	421194	0395, 0405, 0410, 0415, 0429, 0660, 0690, 0686, 0690, 0695	OCTOBER #8, 1974	NOVEMBER 2, 1984	MAY 4, 2009
HAINES, TOWNSHIP OF	420261	0435, 0439, 0440, 0443, 0444, 0445, 0455, 0460, 0461, 0463, 0465, 0470, 0480°, 0702, 0705, 9710, 9730°	AUGUST 9, 1974	AUGUST 1, 1978	MAY 4, 2009
HALFMOON, TOWNSHIP OF	425463	0585, 0590, 0591, 0595, 0805, 0615, 0805, 0810	JANUARY 24, 1975	GCTOBER 13, 1978	MAY 4, 2009
HARRIS, TOWNSHIP OF	420262	0635, 0638, 5639, 5641, 0642, 0643, 0644, 0665*, 0666, 0855, 0860*, 0880*	JUNE 28, 1974	JUNE 5, 1989	MAY 4, 2009
HOWARD, BOROUGH OF	420263	0193. 0194	MAY 31, 1974	AUGUST 3, 1989	MAY 4, 2009
HOWARD, TOWNSHIP OF	421464	0170, 0190, 0193, 0194, 0195, 0215, 0380, 0385	NOVEMBER 22, 1974	AUGUST 3, 1989	MAY 4, 2009
HUSTON, TOWNSHIP OF	421195	0320, 0340, 0345, 9585, 9605, 9810	SEPTEMBER 6, 1974	JUNE 5, 1989	MAY 4, 2009
LIBERTY, TOWNSHIP OF	421196	0180, 0185, 0194, 0195, 0205, 0215, 0220	SEPTEMBER 13, 1974?	JUNE 5, 1989	MAY 4, 2009
MARION, TOWNSHIP OF	421465	0194, 0215, 0220, 0380, 0385, 0390, 0405	NOVEMBER 8, 1974	NOVEMBER 2, 1984	MAY 4, 2009
MILES. TOWNSHIP OF	421197	0245*, 0265, 0270, 0410, 0420, 0430, 0435, 0440, 0445, 0455, 0460, 0480*	SEPTEMBER 13, 1974	DECEMBER 4, 1985	MAY 4, 2009
MILESBURG, BOROUGH OF	420264	0358, 0360, 0366	DECEMBER 28, 1973	FEBRUARY 2, 1977	MAY 4, 2009
MILLHEIM, BOROUGH OF	420265	0438, 0439	MAY 10, 1974	JUNE 5, 1989	MAY 4, 2009
PATTON, TOWNSHIP OF	420266	0345, 0605, 0610, 0615, 0616, 0617, 0618, 0628, 0630	AUGUST 2, 1974	FEBRUARY 19, 1986	MAY 4, 2009
PENN, TOWNSHIP OF	421466	0420, 0438, 0439, 0440, 0685, 0695, 0792, 0705, 0715	DECEMBER 13, 1974	OCTOBER 17, 1989	MAY 4, 2009
PHILIPSBURG, BOROUGH OF	420267	0288, 0289, 0290	DECEMBER 21, 1973 3	AUGUST 15, 1990	MAY 4, 2009
PORT MATILDA, BOROUGH OF	420268	0591	JANUARY 16, 1974	NOVEMBER 3, 1989	MAY 4, 2009
POTTER, TOWNSHIP OF	421 467	0395, 0633, 0655*, 0660, 0665, 0670, 0680, 0690, 0695, 0880*, 0885*	NOVEMBER 8, 1974	FEBRUARY 5, 1986	MAY 4, 2009
RUSH, TOWNSHIP OF	421468	0115, 0120, 0285, 0288, 0289, 0290, 0295, 0305, 0310, 0315, 0320, 0330, 0340, 0525, 0520, 0535, 0756, 0760	DECEMBER 20, 1974	NOVEMBER 16, 1990	MAY 4, 2009
SNOWSHOE, BOROUGH OF	421459	0137, 0139	NOVEMBER 8, 1974 4	AUGUST 10, 1979	MAY 4, 2009
SNOWSHOE, TOWNSHIP OF	421198	0090, 0195, 0120, 0130, 0435, 0137, 0439, 0440, 0145, 0455, 0460, 0965, 0170, 0340, 0330, 0335	SEPTEMBER 13, 1974	JUNE 19, 1989	MAY 4, 2009
SPRING, TOWNSHIP OF	420269	0360, 0365, 0366, 0367, 0368, 0369, 0380, 0388', 0390, 0395, 0632, 0651, 0655', 0680	JUNE 21, 1974	APRIL 15, 1977	MAY 4, 2009
STATE COLLEGE, BOROUGH OF	420270	0617, 0636, 6637, 0638, 0639	JUNE 14, 1974	JUNE 30, 1976	MAY 4, 2009
TAYLOR, TOWNSHIP OF	421469	0545, 0560*, 0565, 0570. 0590, 0760. 0780, 0785. 0805	DECEMBER 20, 1974	JANJARY3, 1988	MAY 4, 2009
UNION, TOWNSHIP OF	421470	0145, 0336, 0335, 0340, 0345, 0355, 0365	NOVEMBER 8, 1974	JULY 17, 1989	MAY 4, 2009
UNIONVILLE, BOROUGH OF	420272	0345,0365	AUGUST 9, 1974	NOVEMBER 3, 1989	MAY 4, 2009
WALKER, TOWNSHIP OF	421471	0215, 0220, 0380, 0385, 0390, 0395, 0405, 0410, 0415	NOVEMBER 15, 1974	JULY 17, 1989	MAY 4, 2009
WORTH, TOWNSHIP OF	421472	0560*, 0570, 0580, 0585, 0590, 0593, 0595, 0605	DECEMBER 27, 1974	AUGUST 15, 1989	MAY 4, 2009
* PANEL NOT PRINTED 1 NON-FLOODPRONE COMMUN	NITY				
ANITIAL IDENTIFICATION DA INITIAL IDENTIFICATION DA INITIAL IDENTIFICATION DA	TE - December 28, 19	76 ₹3			

Panel 0020F 0040F 0045F 0045F 0055F 0150F 0120F

NOTE TO USER.

Future revisions to this FRRM Index will only be issued to communities that are located on FIRM puries being revised. This FIRM Index Interface and the FIRM puries could be FIRM puries could be FIRM puries. The FIRM puries for the FIRM puries. The FIRM puries for the FIRM puries. The FIRM puries for the FIRM puries for the FIRM puries. The FIRM puries for the FIRM puries for the FIRM puries for the FIRM puries. The FIRM puries for the FIRM puries

MAP. DATES

This FIRM Index displays the map date for each FIRM panel at the time that his Index was printed. Because this index was control. Because this index may not be distributed to unaffected communities in current map first for the property of the control trap first for each FIRM panel by visiting the FEMA Map Service Center website at http://msc.fema.gov or by calling the Map Service Center at 1-500-358-9616.

